



144E2	Newglarus silt loam, deep, 20 to 30 percent slopes, moderately eroded	8.48	6.3%		Vle														
115vC2	Seaton silt loam, driftless valley, 6 to 12 percent slopes, moderately eroded	7.07	5.2%		IIIe														
254D2	Norden silt loam, 12 to 20 percent slopes, moderately eroded	5.52	4.1%		IVe														
116D2	Churchtown silt loam, 12 to 20 percent slopes, moderately eroded	5.50	4.1%		IVe														
316B2	Ella silt loam, 1 to 6 percent slopes, moderately eroded	4.91	3.6%		IIe	5.6	4	140	19	75	4.8	5.2	4.6	50	4.4				
125C2	Pepin silt loam, 6 to 12 percent slopes, moderately eroded	4.53	3.4%		IIIe														
144D2	Newglarus silt loam, deep, 12 to 20 percent slopes, moderately eroded	3.24	2.4%		IVe														
116C2	Churchtown silt loam, 6 to 12 percent slopes, moderately eroded	1.13	0.8%		IIIe														
<b>Weighted Average</b>						<b>0.2</b>	<b>0.1</b>	<b>5.1</b>	<b>0.7</b>	<b>2.7</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>1.8</b>	<b>0.2</b>				

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.